

IN THE CLAIMS

Please amend claims 1, 4, 11, 12, 15, and 22, as follows:

1. (Currently Amended) ~~In a mobile station, a~~ A method for use in a mobile station ~~of for~~ automatically grouping user-specific information items, each user-specific information item being for use in identifying or contacting a user of the mobile station, the method comprising the acts of:

in response to a trigger signal, automatically grouping the user-specific information items by a processor of the mobile station by:

reading, from a first file of the mobile station, a first user-specific information item ~~from a first file of the mobile station for identifying or~~ contacting the user;

storing the first user-specific information item in a user information file or a message of the mobile station; and

repeating the acts of reading, from a second file of the mobile station, and storing, in the user information file or the message, for at least a second user-specific information item ~~from a second file of the mobile station for~~ identifying or contacting the user, so that the first and the second user-specific information items are grouped together as user information in the user information file or the message ~~of the mobile station.~~

2. (Original) The method of claim 1, wherein each one of the first and the second user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a Personal Identification Number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

3. (Original) The method of claim 1, wherein the first user-specific information item comprises a Personal Identification Number (PIN) of the mobile station.

4. (Currently Amended) The method of claim 1, further comprising:
repeating the acts of reading, from a third file of the mobile station, and storing, in the user information file or the message, for at least a third user-specific information item ~~from a third file of the mobile station~~ for identifying or contacting the user, so that the first, the second, and the third user-specific information items are grouped together as user information in the user information file or the message.

5. (Original) The method of claim 4, wherein each one of the first, second, and third user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

6. (Previously Presented) The method of claim 1, further comprising:
sending the user information file or the message from the mobile station to one or more recipients via a wireless communication network.

7. (Previously Presented) The method of claim 1, further comprising:
sending the user information file or the message through an e-mail communication to one or more recipients via a wireless communication network.

8. (Previously Presented) The method of claim 1, wherein the user information file or the message comprises the user information file and the method further comprises:

 sending the user information file as an attachment to a message to one or more recipients via a wireless communication network.

9. (Previously Presented) The method of claim 1, wherein the trigger signal is based on an expiration of a timer.

10. (Previously Presented) The method of claim 1, wherein the trigger signal is produced in response to a user input request for the user information.

11. (Currently Amended) The method of claim 1, wherein the trigger signal is produced in response to an update to ~~a~~ any one of the user-specific information ~~item~~ items in the first or the second files.

12. (Currently Amended) A mobile station, comprising:

 a wireless transceiver;

~~an antenna coupled to the wireless transceiver;~~

 a processor coupled to the wireless transceiver;

 memory coupled to the processor;

the memory being adapted to store a first file having a first user-specific information item for identifying or contacting a user of the mobile station;

the memory being adapted to store a second file having a second user-specific information item for identifying or contacting the user of the mobile station;

 the processor being adapted to automatically group at least the first and the second user-specific information items by performing the following acts in response to a trigger signal:

reading, from the first file, a the first user-specific information item from
a first file stored in the memory for identifying or contacting the user;

storing the first user-specific information item in a user information file
or a message; and

repeating the reading, from the second file, and the storing, in the user
information file or the message, for at least a the second user-specific
information item from a second file stored in the memory for identifying or
contacting the user, so that the first and the second user-specific information
items are grouped together as user information in the user information file or
the message.

13. (Original) The mobile station of claim 12, wherein each one of the first
and the second user-specific information items comprises one of the following items: a
user name associated with an end user of the mobile station; a telephone number of the
mobile station; an e-mail address associated with an e-mail communication application
of the mobile station; a personal identification number (PIN) of the mobile station; and
an address associated with the end user of the mobile station.

14. (Original) The method of claim 12, wherein the first user-specific
information item comprises a Personal Identification Number (PIN) of the mobile station
which is utilized for PIN messaging.

15. (Currently Amended) The mobile station of claim 12, wherein the
memory is further adapted to store a third file having a third user-specific information
item for identifying or contacting a user of the mobile station, and the processor is
further operative to:

repeat the reading, from the third file, and the storing, in the user information
file or the message, for at least a the third user-specific information item from a third

~~file stored in the memory for identifying or contacting the user~~, so that the first, the second, and the third user-specific information items are grouped together as user information in the user information file or the message.

16. (Original) The mobile station of claim 15, wherein each one of the first, second, and third user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

17. (Previously Presented) The mobile station of claim 12, wherein the processor is further operative to:

cause the user information file or the message to be sent through the wireless transceiver to one or more recipients.

18. (Previously Presented) The mobile station of claim 12, wherein the processor is further operative to:

cause the user information file or the message to be sent by e-mail communication through the wireless transceiver to one or more recipients.

19. (Previously Presented) The mobile station of claim 12, wherein the trigger signal is produced in response to an expiration of a timer.

20. (Previously Presented) The mobile station of claim 12, wherein the trigger signal is produced in response to a user input request for the user information.

21. (Original) The mobile station of claim 12, wherein the first user-specific information item comprises an International Mobile Subscriber Identification (IMSI) and the memory comprises at least a Subscriber Identity Module (SIM) or Removable User Identity Module (R-UIM).

22. (Currently Amended) The mobile station of claim 12, wherein the trigger signal is responsive to an update to ~~a~~ any one of the user-specific information ~~item~~ items in the first or the second files.

23-31. (Canceled)